LTR20091036, Rev. B 3/30/09



Cal Spas Home Resort[™]







EUTOP.

United States and Canada

Barbecue Islands

Manufactured after December 22, 2008 © 2009 LMS, Inc.

www.calspas.com
Fax: 1-909-629-3890
Tall Erac: 1 800 CAL SDAC
1462 East Ninth Street
need additional information and/or assistance, please contact: Customer Service Department
(D
-
2009 Warranty
Covering Your Grill
Cleaning the Interior of Your Grill
Stainless Steel
Synthetic Panel
Tile
Granite Top13
About Natural Stone
Cleaning and Maintenance 12
Light Switch Installation
Griddle and Griddle Storage 10
Granite Kit Instructions
Rock / Stone Application7
Stucco and Tile Application
Unit Attachment
Barbecue Island Assembly 5

If you

Copyright 2008-2009 LMS, Inc. All rights reserved. Duplication without written consent is strictly prohibited.

Cal Flame (R) is a registered trademark.

Due to continuous improvement programs, all models, operation, and/or specifications are subject to change without prior notice.

LTR20091036, Rev. B 3/30/09

> California Proposition 65 Warning: Chemicals known to the State of California to cause cancer, birth defects or other reproductive harm are found in and/or created by the combustion of natural gas, propane, butane and other fuels. Always operate this unit as described in the owner's manual and in well ventilated areas.

Safety Instructions

service or maintenance can cause injury or property damage. Read the installation, operating and maintenance instructions thoroughly before installing or servicing this equipment. WARNING: Improper installation, adjustment, alteration,

Placement and Location

- Cal Flame[™] grills and carts are designed for outdoor use only.
- rage, shed, or breezeway. Keep clear of trees and shrubs. overhead structure, or in any type of enclosed area such as a ga-Never locate this appliance in an enclosed room, under a sealed
- opened into your home. Do not place this grill under or near windows or vents that can be
- ational vehicles or boats. Cal Flame[™] grills are not intended for installation in or on recre-
- bustible material such as a patio cover. Maintain sufficient distance as to not overheat any overhead com-
- gasoline. mops, rags or brooms, as well as solvents, cleaning fluids, and from flammable liquids and other combustible materials such as The area surrounding your new grill should be kept clean and free
- storage area for flammable or plastic items. Do not store the liquid when it is not being used. propane (LP) cylinder in the vicinity of this or any other appliance Do not use the grill, grill cabinet, or area surrounding the grill as a

Set-Up

- ible when the hood is lowered or on the right side of the chassis. write down this information. There is an area on the back cover of this manual where you can information is located on a plate located behind the grill and is visformation such as model number, serial number and type of Before installing built in grills in enclosures, copy all product in-(e.g. natural gas or LP) and store information in a safe place. This . grill
- of local codes, with either the grill. Installation must conform to local codes, or in the absence We recommend that a licensed contractor install your Cal Flame[™] Z223.1 / NFPA54, Natural Gas and Propane Installation Code, National Fuel Gas Code, ANSI

2009 Barbecue Islands LTR2009103, Rev. B

Cal Flame www.calspas.com

- dance with local codes or the National Electrical Code, ANSI / grounded 110V outlet with a dedicated 15A GFCI breaker in accor-NFPA 70, or the Canadian Electrical Code, CSA C22.1. Your Cal Flame[™] grill or cart must be plugged into a permanent,
- cuit. A fuse in the neutral or ground circuit may result in an elecgrill or cart. Such use may result in fire, electrical shock or other fuel supply hose away from any heated surfaces. pipe or hot water pipe. Keep any electrical supply cords and the trical shock hazard. Do not ground this appliance to a gas supply personal injury. Do not install a fuse in the neutral or ground cir-Do not use an extension cord to supply power to your Cal Flame[™]
- ۰ before operating grill. To prevent fire and smoke damage, remove all packaging material
- grease used in the manufacturing process. The grates should also soapy water. This is necessary to remove residual solvents, oil and be thoroughly cleaned in the same manner. Before you start cooking, clean the entire grill thoroughly with hot,

Operation

- tempt to use the grill until the gas has had time to dissipate. In the event that a burner goes out, turn burner knobs to the full OFF position, fully open the grill hood and let it air out. Do not at-
- . drip pan. Never use the grill if the drip pan is not properly installed. the grill. Fire or explosion can result from an improperly installed pan should be pushed all the way to the rack located just under Drip
- . from the heated areas of the grill. Keep all electrical supply cords and the rotisserie motor cord away
- Never use the grill or side burner in windy conditions. If used in a here to the specified clearances listed in this manual. consistently windy area a windbreak will be required. Always ad-
- . Never line the grill or side burners with aluminum foil.
- ۰ tank. When the unit is not in use, be sure to turn off the gas at the LP



- not drop LP connectors. come in contact with any metal surfaces of the cart or cabinet. When handling LP gas line and connectors, do not allow them to 20
- fire or explosion can occur. not operate grill or side burners if regulators have been removed, Gas sources to the grill and side burners must be regulated. D
- greasy boil-overs may ignite. When using pots and pans, Never leave the grill and side burners unattended boil-overs will cause smoking when in use and
- sive flames on large stainless steel pots can result in permanent of the flame. This can scorch utensils and hamper cleanup. Exces-Always use the proper size pan. Select utensils with flat bottoms large enough to cover the burner. The use of under-sized utensils aluminum pans and utensils. discoloration. For best results, we recommend commercial quality exposes the sides of the utensils to direct contact with a portion
- tact with the utensils. ignition of flammable materials, and spillage due to accidental conjacent work areas or cooking areas. This reduces the risk of burns, Always position handles of utensils so they do not extend over ad-
- ٠ foam-type fire extinguisher. of the pan, smother it with baking soda or use a dry chemical or fitting lid, a cookie sheet or a flat tray. For flaming grease outside Turn the appliance off and smother the flaming pan with a tight-Do not use water on grease fires. Never pick up a flaming pan.
- garments while using your grill. Fabric may ignite and result in face until it has fully cooled. Never wear loose fitting or hanging come in contact with or be close to any grate, burner or hot sur-Never allow clothing, personal injury. pot holders or other flammable materials
- immediate surroundings as these areas become extremely hot and When using the grill, do not touch the grill rack, burner grate, or can cause burns

2009 Barbecue Islands LTR2009103, Rev. B

Calif Lame www.calspas.com

- cloth in place of pot holders. Moist or damp pot holders used on hot surfaces can cause burns. Only use dry pot holders and do not use a towel or other bulky
- sibly resulting in serious personal injury or damage to the grill. grill. Pressure may build up and cause the container to burst, pos-Do not heat any unopened glass or metal container of food on the
- use Do not reach over your grill or any other surfaces when hot or in

Maintenance and Repair

- in the Cleaning and Maintenance section of this manual. spect and clean the burners periodically and follow the guidelines gerous condition that can result in a fire behind the valve panel. Inblock the gas and airflow to the burner ports. This creates a dan-Spiders and other insects can nest in the burners of the grill and
- all service. Any repairs made by a non- LMS approved dealer tech-Unless specifically recommended in this manual, do not repair or nician will void your warranty. replace any part of the grill. A qualified technician should perform

Storage

- When your gas grill is not in use, turn off the gas at the supply cylinder.
- Storage of a grill or cart indoors is permissible only if the supply cylinder is disconnected and removed.

Precautions Regarding Children

- ing used. Never leave children unattended in the area where the grill is be-
- or cart. Do not store items of interest to children around or below the grill
- Never allow children to sit or stand on any part of the grill or cart.





Barbecue Island Assembly

Unit Attachment

.alignment. ground where the barbecue is placed is as level as possible for best Place the island sections together on the ground. Make sure the

NOTE: If the ground is not level, use shims to level out the island sections. This needs to be done before you intall the bolts.

- Connect the speakers, lights, and main power cables before sliding the sections together.
- Insert the bolts through the pre-drilled holes from the inside of the barbecue island (total of four bolts on each side).
- Tighten all bolts using a 9/16" wrench.







yldməzzA \ noitallatznl

6

- Ľ Prepare and fill the gap or seam line with speed set.
- 2 Using your fingertips, push and flatten out the speed set into the seam line.

step. NOTE: Allow the speed set to dry before proceeding with the next

- ω Using a small brush or hopper gun, apply stucco to the seam line.
- 4. Mix grout with water in a container.
- <u></u> ger. Fill the tile seam line with grout using a small spatula or your fin-
- 6. Clean the grout with a damp rag.
- .7 Let the grout and stucco dry for at least three hours.





2009 Barbecue Islands LTR2009103, Rev. B

Rock / Stone Application

- .-Place the island sections together on the ground.
- 2 Make sure the ground where the barbecue is place is as level as possible for best alignment.

NOTE: If the ground is not level, use shims to level out the island sections. This needs to be done before you place the bolts.

- Connect the speakers, lights, and main power cables before sliding the sections together.
- 4 all 9/16" wrench. each side). Tighten tal of four bolts barbecue island (tothe inside drilled through Insert bolts holes the the using ę bolts trom prethe 9 ھ
- 5. Prepare mortar in a container.
- Apply mortar to the gaps left open between the island assembly (front and back).

°.

Prepare grout in a second container.

2

Let it dry for 15 to 30 minutes and brush the area where the mortar

mix was applied.









9. Fill the tile seam with grout using a small spatula or your finger. (∞`

- 10. Clean the grout with a damp rag.
- Ŀ-Let the grout and mortar dry for at least three hours.

Granite Kit Instructions

9

colors as listed below: Granite kits come in the following colors. Each contains various tinting

Sapphire Brown	Giallo Veneziano	New Vene- tian Gold	Uba Tuba (Labrador)
Black	Red-Brown	White	Black
White	Yellow	Yellow	White
Blue	Black	Blue	Green
Brown	White		

÷ Pour a small amount of epoxy resin and a small drop of each tint color on a piece of a cardboard.

NOTE: Refer to the granite tint color reference chart

- 2 Apply a small amount of the first tint color to the epoxy resin using a mixing stick and mix well.
- ω Apply a small amount of the second tint color to the epoxy resin and mix well.
- Apply a small amount of the next tint colors, one at a time to the epoxy resin and mix well.
- Compare color of mixed epoxy resin with the color of the counter top.
- <u>б</u> f granite top. matches the color of the until the (one at a amounts match, the colors resin mixture time) and mix of tint color add do small not
- Add a small amount of hardener to the matching resin mixture and mix well.





GRIDDLE AND ENCLOSURE



ENCLOSURE







- 0.00 Quickly fill one portion of the seam line with the epoxy mixture. razor blade. Remove the excess epoxy material from the seam line using a
- 9. Let the epoxy material cure for five minutes.
- 10. Pour a small amount of epoxy and hardener separately on a piece of cardboard.
- 11. Mix the epoxy material well with the hardener.
- 12. Quickly apply the epoxy mixture to the seam line. excess epoxy material from the seam line using a razor blade Remove the
- 13. Let the epoxy material cure for five minutes.
- 14. Repeat the previous steps until all the seam line is filled with epoxy mixture.
- 15. Clean the surface of the seam line with acetone

Griddle and Griddle Storage

mounting screws on both side of the enclosure to lock the enclosure in facing out. Make sure the enclosure is aligned horizontally. Tighten the becue island as shown below. Align the enclosure as shown, opening Similar to installing a drawer, you need to have a cutout on your barplace. Slide the griddle into the enclosure to test the installation.



1

microswitch and bracketry. the light kit. The kit consists of a 12-volt light, a wiring harness and a If you have the hardware interior island option, you will need to install

and nuts. The microswitch mounts to the bracket with a supplied set of screws

you with the light you need for your internal storage area. light. The light can be mounted anywhere in the island that provides Once you mount the the switch bracketry, choose a location for the

wire harness and the hot portions of the grill. hardware. Be sure to keep the light within the range of the provided The 12-volt light portion of your kit will have the necessary mounting

LED Lights

side of the barbecue island. Flip it up to turn all the lights on. The switch for the LED lights is located in a covered utility box on the



Cleaning and Maintenance

About Natural Stone

A natural characteristic of granite and marble is its inherent lack of uniformity. Because it is a completely natural material, it can have a and so on. great deal of variation in color, shade, finish, tint, hardness, strength,

sils. These areas are often filled in at the factory. Over time through Any time you use natural stone, you can always expect differences from one tile to the next. You will frequently see dry seams, pit or fosnormal use, the fill may work its way out.

in the elements. and durable, but they have different compositions and wear differently Even though stone tile is a natural product, it nevertheless can be af-fected by extremes in weather. Both marble and granite are decorative

weather. they are concerned about damage from constant exposure to weather. We recommend barbecue island owners keep their island covered if This is particularly true in areas where there is snow, ice, or very hot

natural features to expand and eventually crack. surface. Stone is porous, especially marble, and often has natural fissures in the Constant exposure to extreme heat or cold can cause these

Although the stone has been properly finished and is suitable for use in an outdoor environment, Cal Spas does not apply a weather sealant to leave the choice of applying a weather sealant entirely up to owners. want to use their barbecues or the locale they will use them in, so we our countertops. We never wish to second-guess how our customers

there are literally hundreds of excellent products on the market customers may choose from. We do not recommend any specific brand or manufacturer, although

to the interior. can cause water to seep into the barbecue island and cause damage Grout is much easier to repair than stone tile and gaps between the tile can also be affected by both extremes in weather and by normal use. ers need to know that the grout between the tile, while it is durable, In addition to maintaining the stone tile surfaces, barbecue island own-

sealant to help prevent further cracking. tary color. After the filler sets and is sanded smooth, apply a weather an experienced tile worker filling them with a material of a complemen-In those instances where natural cracks occur, we recommend having



-

Granite Top

13

gent and warm water. Use a clean rag for best results. Clean stone surfaces with a few drops of neutral cleaner, stone soap (available from Monticello Granite) or a mild liquid dishwashing deter-

Too much cleaner or soap may leave a film and cause streaks

granite the high acid content may etch the surface. Do not use products that contain lemon, vinegar or other acids on the

dry with a soft cloth. Rinse the surface thoroughly after washing with the soap solution and

Change the rinse water frequently.

Do's

- Dust surfaces frequently
- Clean surfaces with mild detergent or stone soap
- Thoroughly rinse and dry the surface after washing
- Blot up spills immediately

Don'ts

- Don't use vinegar, lemon juice or other cleaners containing acids.
- grout cleaners or tub & tile cleaners. Don't use cleaners that contain acid such as bathroom cleaners,
- ers. Don't use abrasive cleaners such as dry cleansers or soft cleans-
- and lethal gas. Don't mix bleach and ammonia; this combination creates a toxic

Scratches and Chips

and then rub it off the surrounding area. use them on lighter stones. Apply the marker to the scratch, let it dry, we have had success using permanent black magic markers. Do not surrounding areas. Making them darker will hide them. On dark stones, Small scratches are visible because they are lighter in color than the

be left to other knowledgeable professionals. to match the surrounding stone. Repairing this kind of damage should epoxied back into place. The chip can also be filled with colored epoxy If you have a large chip, try to find the loose pieces. They can often be Both marble and granite may chip when subjected to a sudden impact.



If spillage occurs, then clean up as soon as possible.

Care

- Protect against chipping by using a cutting board
- Protect against scratches, especially on natural stone tiles.
- Avoid hard blows that can chip the tile.
- should always be removed. Standing water or other liquids can deteriorate tile and grout, and

Cleaning

ceramic tile; follow directions exactly. NEVER use scouring powders or more than 5 minutes; rinse thoroughly and wipe dry. General-purpose casionally apply a solution of chlorine bleach and water to stand not other abrasives as they will scratch the finish. household cleaners may also be used if label says can be used on Wash with detergent solution, and rinse. To clean dingy grout, Ŗ

Stain Removal Guide

Stain	Removal Arient
Grease and fats	Soda and water or commercial spot lifter
Inks and colored dyes Household bleach	Household bleach
Blood	Hydrogen Peroxide or household bleach
Coffee, tea, food, fruit,	Coffee, tea, food, fruit, Neutral cleaner in hot water followed by hy-
lipstick, juices	drogen peroxide or household bleach

Caution: Vinegar may damage some tile.







DO's and DON'Ts of Tile Care

5

- Do test scouring pads in a small area first
- problem. Do use a silicone sealer on grout joints if continuous staining is ۵
- Do read and follow label directions for all cleaners
- Do keep this information and refer to it when necessary.
- Do not combine ammonia and household bleaches
- can scratch or damage the surface of your tile. Do not use harsh cleaning agents (such as steel wool pads) which
- ۰ Do not place sharp object on tile surface.
- Never use wax to clean tile surface.

Care and Maintenance of Tile Grout

to many staining agents. Grout may present a special cleaning problem because it is susceptible

protection. Apply a silicone sealer to grout joints several times a year for maximum

a good grout. good repair. Scrape out loose, cracked or powdery joints and refill with In addition to keeping the grout clean, be sure to keep grout joints in

wall caulking compound, such as silicone rubber caulking tile or tub. Then dry the joint thoroughly and fill with a flexible tub or old grout with a sharp pointed tool, watching out that you don't scratch may crack and crumble. It's relatively simple to remedy. Remove the and the wall in your bathroom. As the house or tub settles, the grout One common grouting trouble spot is the joint between the tub and



Do's

- Do dust surfaces frequently.
- Do clean synthetic panels with water and mild detergent

Don'ts

- Don't use panels. any cleaning chemical to clean or wash synthetic
- Don't use vinegar, lemon juice or other cleaners containing acids.
- Don't use cleaners that contain acid such as bathroom cleaners.
- and lethal gas. Don't mix bleach and ammonia; this combination creates a toxic

Stainless Steel

stainless steel attractive. tions will help avoid scratching or damaging the finish and keep your to keep them looking clean and bright. Following these simple instruc-All exposed stainless steel surfaces require special attention if you want

described after this section. Cleaning instructions for grill interiors, including racks and burners, are

ing and surface rust from accumulating. We strongly recommend using a surface protectant to prevent smudgregular use, they can keep their original shine with periodic cleaning. Although stainless steel grills will discolor and accumulate grime with

and present a pleasant appearance while you grill. pleted. Doing so will extend the life of your grill, prevent grease fires, The easiest way to clean the grill is immediately after cooking is com-

low these directions carefully. To ensure safe and proper maintenance, we recommend you fol-

at least once a year. amount of use and foods cooked. The entire grill should be cleaned Clean internal parts of the grill regularly as determined by the

combustible materials, In addition, liquids. Do not obstruct the flow of combustion and ventilation air. keep the area around your grill clear and free from gasoline, and other flammable vapors and



[1]

will damage the surface of your stainless steel. Avoid using these common cleaning products and materials they

- CLR
- Lime-Away
- Oven cleaner
- Cleansers such as Ajax or Comet
- Ammonia
- Bleach Chlorine
- Steel wool pads
- Wire brushes
- Scrapers
- Pumice

We recommend these products for cleaning your stainless steel:

- Mild dish detergent such as Dawn
- Formula 409
- Fantastik
- Sheila Shine (exterior ONLY)
- WD-40 (exterior ONLY)

is widely available. well too. Sheila Shine is available in some hardware stores; WD-40 We have had best success with Sheila Shine, but WD-40 works very

stainless steel surfaces. oil, vinegar, or club soda can be effective for cleaning light soil on all Some people have reported that using baking soda, lemon oil, olive

soil, use a damp sponge or cloth. For heavier stains, use a Scotch-Brite scrubber or similar product. Do not use steel wool or wire brushes to scrub your grill. For light



cloth with warm water and a mild dish soap. Use Fantastik or Formula 409 to remove heavier soil. Thoroughly clean stains, food, and grime using a sponge or damp

2. Rinse

Cleaning and Maintenance

towel. Do not allow stainless steel to air dry. Thoroughly rinse all surfaces and dry them completely with a clean

3. Polish

We strongly recommend that you apply a surface protectant to all exposed stainless steel surfaces.

should not be oily to the touch, however some residue is acceptable. with the grain until excess liquid is removed and the surface shines. It ھ towel and rub with the grain over the surface of the appliance. Using Spray a small amount of WD-40 or Sheila Shine on a piece of paper clean terry cloth or paper towel, polish the appliance by rubbing

Some people have reported that using lemon oil products such as Old tecting the surface. English furniture polish is effective for polishing stainless steel and pro-



the interior of the grill, grill racks, stainless steel sinks, the inside of cabinets, warming drawers, and ovens. preparation surfaces as it is a health hazard. This includes Do not use WD-40 or Sheila Shine near food or on food



aerosol forms. NEVER spray WD-40 or Sheila Shine near an open flame! These products are extremely flammable while in their





Rust Removal

19

can corrode, pit, and discolor. but it is not stain-proof. If not properly protected and maintained, it not stain, corrode, or rust as easily as ordinary steel (it stains less), It is a common misconception that stainless steel does not rust. It does



frequently, apply a protectant, and ensure water does ware. You need to clean and polish your stainless steel to be diligent in maintaining their stainless steel hardbarbecue island owners who live near the beach need Because salt will accelerate rust and corrosion, grill or

not collect and puddle.

scrubber. free of rust. If there is significant rust or corrosion, use a Scotch-Brite Shine and wipe down with a dry cloth or paper towel until surface is Periodically clean exterior stainless steel surfaces with WD-40 or Sheila

smudges, stains, and rust. Both of these products will act as a surface protectant and help resist



tive for rust removal, it is a highly corrosive chemical. Be-Although nitric acid (also called aqua fortis) can be effec-

Caution less steel, we do not recommend using nitric acid. cause of the potential for injury or damage to your stain-



Cleaning the Interior of Your Grill

20

- <u>.</u> mula 409 to remove heavier soil. cloth with warm water and a mild dish soap. Use Fantastik or For-Thoroughly clean stains, food, and grime using a sponge or damp
- 2 cause pitting. allowed to stand for long periods of time on stainless steel, it will iron which will give the appearance of rusting on stainless steel. If steel. Water from various sources such as garden hoses contains towel. Do not allow water to accumulate and puddle on stainless Thoroughly rinse all surfaces and dry them completely with a clean
- ω cleaning and are dishwasher safe. The racks, flame tamers, and flavor bars can all be removed for

Burners

of time. a month or when your grill has not been used for an extended period type of fire in and around the gas tubes called "flashback". To reduce the risk of flashback, this procedure should be followed at least once burner tubes, obstructing Spiders and small insects occasionally inhabit or make nests in the the gas flow. Sometimes this results in a

control knobs, shut off the fuel supply, and disconnect the fuel line. IMPORTANT: Prior to starting this procedure, turn OFF all of the gas

fully lifting each burner up and away from the gas valve orifice. necessary to operate your grill. Remove burners from the grill by care-They are used to keep the burners in place during shipping and are not them out. The keeper pins are located under the grill toward the back. The burners can be removed by removing the keeper pins and lifting

an opened paper clip. food residue and dirt. Clean any clogged ports with a stiff wire such as Use a wire brush to clean the outer surface of each burner to remove

found, replace the burner and discontinue grill usage. Inspect each burner for damage (cracks and holes). If any damage is

ers, you do not need to replace the keeper pins. condition and the location of the igniters. When you replace the burn-Upon reinstallation, inspect the gas valve orifices for cleanliness and



-

Cooking Grates

21

helpful in removing grime and food deposits. for any cooking equipment. A stiff wire brush or steel wool may also be Use a solution equal parts detergent and hot water just as you would



cooking grates or the griddle! of your grill or any other stainless steel surface except the Do not use a wire brush or stainless steel on any other part

Drip Pan

to rinse thoroughly to avoid staining. may clean the drip pan with a solution of warm soapy water. Make sure grease fire. Be sure to allow the drip pan to cool prior to cleaning. You The pan should be cleaned after every use to avoid the possibility of a The full width drip pan will collect grease from the main grill area.

Steam Cleaning Your Grill

you wipe all surfaces down. Flame grill, including the burners. When you are finished, make sure and do not require chemicals. You can steam clean all parts of your Cal void your warranty. Portable hand-held steam cleaners are inexpensive Steam cleaning the interior of your grill is very effective and will not

minutes to prevent any water from accumulating inside them. If you spray the burners, ignite them and let them burn for about 10

Covering Your Grill

before covering. tal pollutants. Never put a cover on a hot grill. Allow the grill to coo protect your grill from detrimental effects of weather and environmencover. (See your local Cal Flame dealer for details.) The cover will help When not in use and after cooling, cover your grill with our canvas





nents. terial and workmanship on Cal Flame barbecue islands and compo-LMS, Inc. offers the following limited warranty against defects in ma-

transfer or relocation. and ends either by specified time-frame listed above or upon owner tends through the selling dealer to the original purchaser at the original site of installation. This warranty becomes valid at time of purchase on Cal Flame models delivered in the United States or Canada and exand workmanship at time of delivery. This limited warranty is only valid All Cal Flame models are warranted to be free from defects in material

for the lifetime of the barbecue island. Structure: LMS warrants the structural frame to maintain its integrity

rioration and corrosion for the lifetime of the barbecue island. Components: LMS warrants stainless steel mountings against dete-

granite, and foot rest. of delivery, including, but not limited to, stucco, grout, brick, rock, tile, Decorative Finishes: LMS warrants the decorative finishes at time

from the original date of purchase from defects in material and workmanship for a period of **Defects:** LMS warrants the barbecue islands and associated hardware one year

Manufacturer Warranty

televisions, and DVD players. reos, speakers, refrigerators, keg refrigerators, umbrellas, accessories, product. These items include, but are not limited to, the following: Ste-The appliance warranty is extended through the manufacturer of the

package that was delivered with your barbecue island. Stereo systems are delivered with their own manufacturer's warranty. For more information, see their warranties in the owner's information

Warranty Performance

the reported failure. There will be no charge for parts or labor on a given to the LMS Customer Relations Department within 30 days of from the selling dealer or service agent, written notification must be event the consumer is unable to obtain satisfactory customer service necessary repairs. To obtain service, contact the selling dealer. In the warranty, a factory authorized service agent of LMS will perform the In the event of a malfunction or defect covered under the terms of this



2009 Warranty

of a covered item is not feasible, LMS reserves the right to replace the sentatives. tioned time frames under any circumstances, by any of LMS's repreis non-transferable and may not be extended beyond the above menbut not limited to: freight, removal, re-installation, etc. This warrant tion of LMS and this warranty does not cover costs therein, including purchase price. Warranty repair and / or replacement is the sole discredefective merchandise with merchandise equal in value to the original travel or mileage charge per service call. If LMS determines that repair covered item. However, the service agent may assess a reasonable

Warranty Limitations

other gence, alteration, misuse, repairs, dings, dents, scratches, or incorrect and / or prohibited applications, as specified in the owner's manual. and hereafter. retroactive and applies to all barbecue islands manufactured from 2000 barbecue islands, replacement parts and hardware. This limitation is plies only to barbecue islands used for personal, family, and outdoor and common acts invalidating this warranty. This limited warranty apranty. Please refer to the owner's manual for examples of exclusions cians, service by non-LMS authorized representatives, acts of God and company agent. Incorrect electrical installation by unlicensed electri-Gas lines must be installed by a licensed plumber only or local gas This warranty is void if the barbecue island has been subject to neglihousehold purposes. This warranty does not apply to labor charges on cases beyond the control of LMS are not covered by this war-

not limited to: Examples of common acts invalidating this warranty include but are

- Scratches caused by normal use.
- Damage caused by extreme weather conditions (hot, cold, etc.)
- Damage caused by dirt, sand, and/or water damage.
- Damage caused by continued operation of the barbecue with ei-
- ther known or unknown problems.
- Damage caused by direct sunlight.
- Damage caused as a result of failure to follow the operating instructions as defined in this owner's manual.

mercial barbecue islands. sonal, family, or household purposes and specifically excludes com-This limited warranty applies only to barbecues normally used for per-



shall have duration equal of the applicable warranty stated above. incidental or consequential costs, expense or damages, which may in-clude, but are not limited to, removal of permanent deck or other custom fixtures or the necessity for crane removal. Any implied warranty LMS shall not be liable for loss of use of the barbecue islands or other

not considered defects. with grout during installation. These are normal imperfections and are terized by dry seams, pits, chips, cracks, and fossils that are often filled Natural stone: Rock, travertine, marble, granite, etc. may be charac-

Legal Remedies

other rights, which may vary from state to state. This limited warranty gives you specific legal rights. You may have

Customer Service

For customer service, contact the authorized selling dealer immedi-ately. If you need additional information or assistance, please contact the LMS Customer Relations Department at 1462 E. Ninth St., Pomona CA 91766 or call (800) 225-7727.

coverage on your barbecue. ranty, details and any questions you may have regarding the warranty See your Cal Flame barbecue dealer for a copy of the applicable war-

Don't forget to register your new product at www. calspas.com.



WARNING

loss of life. explosion may result causing property damage, personal injury or If the information in this manual is not followed exactly, a fire or

in the vicinity of this or any other appliance. Do not store or use gasoline or other flammable vapors and liquids

this or any other appliance. A fire resulting in serious injury or death may occur. Do not store an LP cylinder not connected for use in the vicintiy of

not be held responsible for an improperly installed gas line. ing that the natural gas line installed is safe to use. LMS, Inc. will If you are installing a natural gas grill, you are responsible for ensur-

DANGER

What To Do If You Smell Gas

- Shut off gas to the appliance.
- Extinguish any open flame.
- Open lid.
- If odor continues, keep away from the appliance and immediately call your gas supplier or your fire department.

25

LTR20091038, Rev. B 3/30/09

www.calspas.com

LMS Customer Service Department 1462 East Ninth Street Pomona, CA 91766 Toll Free: 1-800-CAL-SPAS Fax: 1-909-629-3890

